

**Geschäftsleitung**  
Dr. med. Martina Fliser  
Dr. med. Martin Holfelder  
Ärztliche Leitung  
Joachim Halbig

**Fachärzte**  
Dr. med. Dörte Beier  
Carmen Black  
Helene Derksen  
Prof. Dr. med. Peter Findeisen  
Dr. med. Martina Fliser  
Dr. med. Gabriele Genthner-Grimm  
Roya Karbaf  
Dr. med. Hans-Jakob Limbach  
Dr. med. Cyrill Müller  
Joachim Singer  
Fachärzte für  
Laboratoriumsmedizin  
Prof. Dr. med. Herbert Hof  
Dr. med. Klaus Oberdorfer  
Fachärzte für Mikrobiologie,  
Virologie und Infektions-  
epidemiologie/Hygiene  
und Umweltmedizin/Labora-  
toriumsmedizin  
Dr. med. Annemarie Fahr  
Dr. med. Martin Holfelder  
Fachärzte für Laboratoriums-  
medizin/Mikrobiologie,  
Virologie und Infektions-  
epidemiologie  
Dr. med. univ. Ilka Steiner  
Fachärztin für Laboratoriums-  
medizin / Mikrobiologie, Virolo-  
gie und Infektionsepidemio-  
logie / Klinische Pharmakologie  
Dr. med. Konrad Bode  
Dr. med.  
Torsten Schmidt-Wieland  
Sabine Singer  
Fachärzte für  
Mikrobiologie, Virologie und  
Infektionsepidemiologie  
Dr. med. Sabine Schütt  
Prof. Dr. med.  
Constanze Wendt  
Fachärztinnen für  
Mikrobiologie, Virologie und  
Infektionsepidemiologie/  
Hygiene und Umweltmedizin  
Dr. med. Gabriele Porsch  
Fachärztin für Hygiene  
PD Dr. med. Karin Janetzko  
Fachärztin für Transfusions-  
medizin

Heidelberg, 05.08.2022

**Important laboratory information:  
Change of method for the determination of cortisol in saliva as of  
01.09.2022**

Dear Sir or Madam,

we would like to inform you that the method for the determination of cortisol in saliva will be changed from 01.09.2022.

In the context of the method change from ECLIA (Roche) to the chemiluminescence assay (IDS-iSYS), the reference ranges for the evaluation of the results will also change.

If you use the remote laboratory data transmission (RDT), please note that new assignments in your physician- or hospital information system may be necessary due to the updated analysis abbreviation.

| Cortisol in saliva     | OLD    | NEW                        |
|------------------------|--------|----------------------------|
| LDT-abbreviation (DFÜ) | CortiS | CORTSP                     |
| Test material          |        | saliva samples (Salivette) |

New reference range:

| Time of sampling           | Morning hours<br>06:00 – 10:00 | Evening hours<br>20:00 – 00:35 |
|----------------------------|--------------------------------|--------------------------------|
| Reference interval (µg/dl) | 0,09-1,04                      | 0,02-0,34                      |

If you have any questions, please do not hesitate to contact:

Ms. Helene Derksen  
Tel.: +49 6221 3432-681  
E-Mail: helene.derksen@labor-limbach.de

Thank you for your understanding.  
With kind regards

Yours sincerely  
MVZ Laboratory Dr. Limbach & Kollegen